

The background is a deep blue with a dynamic, abstract pattern of light streaks and bokeh. The streaks are thin, white, and curved, creating a sense of motion. The bokeh consists of soft, out-of-focus circles of light in various shades of blue and white, scattered across the frame.

2014

PRODUCT CATALOG

www.techmasterproducts.com

Company Profile

Mision

Our mission is to provide world class fiber and network solutions to our customers; enabling them to be competitive in their markets.

Vision

To be amongst the leading distributors for network and fiber products in Latin America, Europe and North America and to continuously forward integrate our distribution model keeping our leading edge.

Values:

Quality

Techmaster products have been inspected and/or tested to comply with strict FCC, TIA/EIA, and UL standard. Our warranty program confirms that we stand proudly behind our products and our products meet or exceed industry standards such as UL, CSA and TIA/EIA.

Value

Our research and development engineers are at the leading edge of the rapidly changing technology, and continue developing applications, procedures, and products to provide flexibility and convenience for our customers at an affordable price.

Innovation

Techmaster engineers work around the clock to develop imaginative precision products engineered to enhance productivity, provide superior quality, and increase efficiency.

Customer Satisfaction

Our customer care professionals set the standard for excellence in customer care throughout the industry because we believe customer satisfaction is crucial in a highly competitive marketplace.




<http://techmasterproducts.com>

Techmaster Products is an integrated corporation, specializes in development, manufacture and market of structured cabling both in Fiber Optic Solution & Copper Solution - Cabling Network


sales@techmasterproducts.com

Cables & Connectors

CABLE UTP



TM-UTP5E4PR-GR
4 Pairs Cat5e GRAY, 305m/Box
TM-UTP5E4PR-BL
4 Pairs Cat5e BLUE, 305m/Box



TM-UTP064PR-GR
4 Pairs Cat6 GRAY 305m/Box
TM-UTP064PR-BL
4 Pairs Cat6 BLUE 305m/Box



TM-CAB0302PR-GR
2 Pairs Cat3 GRAY 305m/Box




TM-UTP5EOUT-BK
4 Pairs Cat5e BLACK OUTDOOR
305m/Box


CABLE FTP



TM-SFTP5EOUT-BK
SFTP Cable 4 Pairs Cat5e
Outdoor BLACK, 305m/Box



TM-FTP5E4PR-GR
FTP Cable 4 Pairs Cat5e
GRAY, 305m/Box



TM-FTP064PR-GR
FTP Cable 4 Pairs Cat6
GRAY, 305m/Box

CONNECTORS



TM-PLU4P4C-50
RJ11 Connector 50u"
Cat.3 4P4C (Pk 100 plug)



TM-PLU8P8C-50
RJ45 Connector 50u"
Cat5e 8P8C (Pk 100 plug)



TM-PLUC628P8C-50
RJ45 Connector 50u"
Cat6 8P8C (Pk 100 plug)



Patch Plug 110 Type
TM-PLU1104PR-50 4 pairs
TM-PLU1102PR-50 2 pairs
TM-PLU1101PR-50 1 pairs



RJ45 FTP Connector 50u"
TM-PLUFTP8P8C-50 Cat5e 8P8C (Pk 100 plug)
TM-PLUC62FTP8P8C-50 Cat6 8P8C (Pk 100 plug)

Cooper Patch Cord

PATCH CORD UTP



Patch Cord Cat5e
TM-PCUTPxFT5e
xx=03, 07, 10, 14 Ft.



Patch Cord Cat6
TM-PCUTPxFT6
xx=03, 07, 10, 14 Ft.



PATCH CORD FTP



Patch Cord FTP Cat5e
TM-PCFTPxxFT5e
xx=03, 07, 10, 14 Ft.



Patch Cord FTP Cat6
TM-PCFTPxxFT6
xx=03, 07, 10, 14 Ft.



PATCH CORD 110



Patch Cord 110 type Cat5e
TM-PC1104P03FT-GR 4Pairs 03Ft. GRAY
TM-PC1102P03FT-GR 2Pairs 03Ft. GRAY
TM-PC1101P03FT-GR 1Pairs 03Ft. GRAY



Patch Cord 110 type to RJ45 Cat5e
TM-PC110RJ454P03FT-GR 4Pairs 03Ft.
TM-PC110RJ452P03FT-GR 2Pairs 03Ft.
TM-PC110RJ451P03FT-GR 1Pairs 03Ft.

Keystone Jack

KEYSTONE JACK UTP



TM-KEY110C5E
Keystone Jack Cat.5e 110 Type



TM-KEY110C06
Keystone Jack Cat6 110 Type



TM-KEY110C03-IV
Cat3 Voice 110 Type Ivory
TM-KEY110C03-WH
Cat3 Voice 110 Type White

KEYSTONE JACK FTP



TM-KEY110C5E-FTP
Cat.5e 110 Type



TM-KEY110C06-FTP
Cat.6 110 Type

KEYSTONE JACK STP



TM-KEY110C5E-STP
Cat.5e 110 Type
TM-KEY110C06-STP
Cat.6 110 Type

ADAPTERS



TM-ADARJ45C5E-STP
RJ45 to RJ45 STP Cat.5e
TM-ADARJ45C06-STP
RJ45 to RJ45 STP Cat.6



TM-ADARJ45C5E-UTP
RJ45 to RJ45 UTP Cat.5e
TM-ADARJ45C06-UTP
RJ45 to RJ45 UTP Cat.6

VOICE SURFACE BOX



TM-SMB4C1-WH Single 6P4C White
TM-SMB6C1-WH Single 6P6C White
TM-SMB4C1-IV Single 6P4C Ivory
TM-SMB6C1-IV Single 6P6C Ivory



TM-SMB4C2-WH Double 6P4C White
TM-SMB6C2-WH Double 6P6C White
TM-SMB4C2-IV Double 6P4C Ivory
TM-SMB6C2-IV Double 6P6C Ivory

Faceplates & Mounting Box

FACEPLATES



TM-FPWM01-WH Wall Plate 1 Port White
TM-FPWM01-IV Wall Plate 1 Port Ivory



TM-FPWM02-WH Wall Plate 2 Port White
TM-FPWM02-IV Wall Plate 2 Port Ivory



TM-FPWM03-WH Wall Plate 3 Port White
TM-FPWM03-IV Wall Plate 3 Port Ivory



TM-FPWM04-WH Wall Plate 4 Port White
TM-FPWM04-IV Wall Plate 4 Port Ivory



TM-FPWM06-WH Wall Plate 6 Port White
TM-FPWM06-IV Wall Plate 6 Port Ivory

MOUNTING BOX



Mounting Box Empty
TM-SMB01P-WH
1 Port For 1 Keystone Jack White



Mounting Box Empty
TM-SMB02P-WH
2 Port For 2 Keystone Jacks White



Mounting Box
TM-SMBR1P-WH
1 Port RJ45 Cat.5e White



Mounting Box
TM-SMBR2P-WH
2 Port RJ45 Cat.5e White



Back Mounting Box
TM-SMBFP-WH
70*115*36mm White

Patch Panel

CATEGORY 5E



TM-PPC5E24P-19
Cat5e 24 Port 1U , type 110



TM-PPC5E48P-19
Cat5e 48 Port 2U, type 110

CATEGORY 6



TM-PPC624P-19
Cat6 24 Port 1U type 110



TM-PPC648P-19
Cat6 48 Port 2U type 110

VOICE



TM-PP110PR-19
100 Pairs type 110



TM-CO04PR-110
Connector 4 Pairs type 110

Racks Systems

DISTRIBUTIONS RACKS



TM-OR07FT2P-BK
Open Rack 7Ft, 2 post



TM-OR04FT2P-BK
Open Rack 4Ft, 2 post



TM-OR07FT4P-BK
Open Rack 7Ft, 4 post

SHELVES & DRAWERS



Single Solid Shelf
TM-SHE1910S-BK
19" X 10" for Open Rack 19"



Single Vented Shelf
TM-SVS1910S-BK
19" X 10" for Open Rack 19"



Single Solid Shelf
TM-SHE1915S-BK
19" X 15" for Open Rack 19"



Single Vented Shelf
TM-SVS1915S-BK
19" X 15" for Open Rack 19"



Double Solid Shelf
TM-SHE1930S-BK
19" X 30" for Open Rack 19"



Double Vented Shelf
TM-SVD1915S-BK
19" X 30" for Open Rack 19"



Shelf for Keyboard and mouse
TM-KBM19S-BK
for Open Rack 19"



Rack Drawer
TM-DR02U19-BK 2U for Open Rack 19"
TM-DR04U19-BK 4U for Open Rack 19"
TM-DR06U19-BK 6U for Open Rack 19"



Patch Panel de 24 puertos Cat.5e

2/24/48 ports patch panel, Cat.5e UTP type.
The structure of each port of this patch panel is same which makes sure that the performance of each port is consistent.
The cable manager is combined in this patch panel.
All kinds of cables with different dimensions can be fixed on the patch panel.
According to the standard of ISO/IEC 11801:2000 CLASS D and ANSI/TIA/EIA/568B Cat.5e standard, T568A punching sequence and T568B punching sequence are both compatible.
Fitting for horizontal distribution in the equipments room and equipments connecting.
Connecting: FCC port for Cat.5e UTP patch cord and IDC for horizontal distribution cables.
Compatibility: Compatible for UTP Cat.5e general cable distribution systems.
IDC: 110 type or dual use type for your choice.

Racks Systems

WALL MOUNT BRACKET



TM-WMB0419-BK 4U, Depth 12"
TM-WMB0619-BK 6U, Depth 12"
TM-WMB0819-BK 8U, Depth 12"

BLANKING PANEL



Blanking Panel
TM-BP01U19-BK 1U for Open Rack 19"
TM-BP02U19-BK 2U for Open Rack 19"
TM-BP03U19-BK 3U for Open Rack 19"



Brush Panel
TM-BRPA119-BK 1U for Open Rack
TM-BRPA219-BK 2U for Open Rack

CABLE MANAGEMENT



TM-CM01UCV-19
19" 1U metal with cover



TM-CM02UCV-19
19" 2U metal with cover

Cabinets & Accessories

WALL MOUNT CABINET



Wall Mount Cabinet Double
TM-CAB0619D-BK 06U 600mm X 550mm
TM-CAB0919D-BK 09U 600mm X 550mm
TM-CAB1219D-BK 12U 600mm X 550mm
TM-CAB1519D-BK 15U 600mm X 550mm
TM-CAB1819D-BK 18U 600mm X 550mm



Wall Mount Cabinet Compact
TM-CAB0419B-BK 04U 600mm X 450mm
TM-CAB0619B-BK 06U 600mm X 450mm
TM-CAB0919B-BK 09U 600mm X 450mm
TM-CAB1219B-BK 12U 600mm X 450mm
TM-CAB1519B-BK 15U 600mm X 450mm
TM-CAB1819B-BK 18U 600mm X 450mm

FLOOR CABINET



TM-CAB2719F-BK 27U (600 mm X 800mm)
TM-CAB3219F-BK 32U (600 mm X 800mm)
TM-CAB3719F-BK 37U (600 mm X 800mm)
TM-CAB4219F-BK 42U (600 mm X 800mm)



Arc Style
TM-CAB2719FA-BK 27U (600 mm X 800mm)
TM-CAB3219FA-BK 32U (600 mm X 800mm)
TM-CAB3719FA-BK 37U (600 mm X 800mm)
TM-CAB4219FA-BK 42U (600 mm X 800mm)



Server Rack
TM-CAB4219S-BK 42U (600 mm X 1000 mm)
TM-CAB4219S2-BK 42U (800 mm X 1000 mm)



Server Rack Arc Style
TM-CAB4219SA-BK 42U (600 mm X 1000 mm)
TM-CAB4219S2A-BK 42U (800 mm X 1000 mm)

ACCESSORIES



TM-PS15A080-19
8 Outlet Power Strip 15A
110-115VAC Rack Mount 19"



TM-FANCAB01-10
Cooling Fan 110Vts



TM-FANUNIT
Fan Unit with 2,4,6,8, fans



TM-FANTRAY
Fan Tray with 2,4,6,8, fans



TM-FEET-4P
Adjust Feet



TM-CASHB-4P
Castor Heavy with brake
TM-CASNB-4P
Castor Normally with brake



TM-CN25P-KIT
Cage nuts 25 sets per bag

FIBER OPTIC SYSTEM

Fiber Optic System ADAPTERS



TM-ADSTSTMM-SIMP
ST MULTIMODE SIMPLEX



TM-ADSCSCMM-SIMP
SC MULTIMODE SIMPLEX



TM-ADLCLCMM-SIMP
ADAPTER LC MULTIMODE SIMPLEX



TM-ADFCFCMM-SIMP
ADAPTER FC MULTIMODE SIMPLEX



TM-ADSTSTMM-DUPL
ADAPTER ST MULTIMODE DUPLEX



TM-ADSCSCMM-DUPL
ADAPTER SC MULTIMODE DUPLEX



TM-ADLCLCMM-DUPL
ADAPTER LC MULTIMODE DUPLEX



TM-ADFCFCMM-DUPL
ADAPTER FC MULTIMODE DUPLEX



TM-ADSTSTSM-SIMP
ADAPTER ST SINGLE MODE SIMPLEX



TM-ADSCSCSM-SIMP
ADAPTER SC SINGLE MODE SIMPLEX




TM-ADLCLCSM-SIMP
ADAPTER LC SINGLE MODE SIMPLEX



TM-ADFCFCSM-SIMP
ADAPTER FC SINGLE MODE SIMPLEX



TM-ADSTSTSM-DUPL
ADAPTER ST SINGLE MODE DUPLEX



TM-ADSCSCSM-DUPL
ADAPTER SC SINGLE MODE DUPLEX



TM-ADLCLCSM-DUPL
ADAPTER LC SINGLE MODE DUPLEX



TM-ADFCFCSM-DUPL
ADAPTER FC SINGLE MODE DUPLEX



TM-ADSCSTSM-SIMP
ADAPTER SC TO ST SINGLE MODE SIMPLEX



TM-ADFCSTSM-SIMP
ADAPTER FC TO ST SINGLE MODE SIMPLEX



TM-ADFCSCSM-SIMP
ADAPTER FC TO SC SINGLE MODE SIMPLEX

CLOSURE



TM-OFCL0S-12FB for 12 fiber
TM-OFCL0S-24FB for 24 fiber
TM-OFCL0S-48FB for 48 fiber
TM-OFCL0S-96FB for 96 fiber



TM-OFCL10-12FB for 12 fiber
TM-OFCL10-24FB for 24 fiber
TM-OFCL10-48FB for 48 fiber
TM-OFCL10-96FB for 96 fiber



TM-OFCL60-24FB for 24 fiber
TM-OFCL60-48FB for 48 fiber
TM-OFCL60-96FB for 96 fiber
TM-OFCL60-144FB for 144 fiber

Fiber Optic System CONNECTORS



TM-CNSTM-5062
ST MULTIMODE, SIMPLEX



TM-CNSCMM-5062
SC MULTIMODE, SIMPLEX



TM-CNLCMM-5062
LC MULTIMODE, SIMPLEX



TM-CNFCMM-5062
FC MULTIMODE, SIMPLEX



TM-CNSTM-9012
ST SINGLE MODE,UPC, SIMPLEX



TM-CNSCSM-9012
SC SINGLE MODE,UPC, SIMPLEX



TM-CNLCSM-9012
LC SINGLE MODE,UPC, SIMPLEX



TM-CNFCSM-9012
FC SINGLE MODE,UPC, SIMPLEX

PATCH CORD



TM-PCFOSCSCMMD-xxM50
multimode 50/125m
SC-SC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOLCSCMMD-xxM50
multimode 50/125m
LC-SC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOSTSTMMD-xxM50
multimode 50/125m
ST-ST duplex,PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOLCLMMD-xxM50
multimode 50/125m
LC-LC duplex,PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOLCSTMMD-xxM50
multimode 50/125m
LC-ST duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOSCSTMMD-xxM50
multimode 50/125m
SC-ST duplex,PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOFCMMD-xxM50
multimode 50/125m
FC-FC duplex,PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOSCSCSMD-xxM50
Single Mode SC-SC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOLCSCSMD-xxM50
Single Mode LC-SC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOSTSTSMD-xxM50
Single Mode ST-ST duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOLCSTSMD-xxM50
Single Mode LC-ST duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOSCSTSMD-xxM50
Single Mode SC-ST duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOFCSCSMD-xxM50
Single Mode FC-FC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOFCSCSMD-xxM50
Single Mode FC-SC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters



TM-PCFOFCSCSMD-xxM50
Single Mode FC-SC duplex, PVC, 2.0mm
xx= 01,03,05,10,15,20,25,30,50 meters

FIBER OPTIC SYSTEM



ATTENUATORS



TM-ATTSTUPC-SM
ATTENUATOR ST, SM UPC



TM-ATTSCUPC-SM
ATTENUATOR SC, SM UPC




TM-ATTLUPC-SM
ATTENUATOR LC, SM UPC



TM-ATTFUPC-SM
ATTENUATOR FC, SM UPC

FIBER OPTIC CABLE



TM-FOCXXADSSXX
Fiber Optic Multimode &
Single Mode Outdoor ADSS



TM-FOCXXFIG8XX
Fiber Optic Multimode &
Single Mode Outdoor Figure 8



TM-FOCXXDUCTXX
Fiber Optic Multimode &
Single Mode Outdoor Duct

MEDIA CONVERTER



TM-MCUTPSCMM-20
RJ45 TO SC 10/100MBPS MULTIMODE 2KM



TM-MCUTPSCSM-20
RJ45 TO SC 10/100MBPS SINGLE MODE 20KM



TM-MCGUTPSCMM-20
RJ45 TO SC GIGABIT MULTIMODE 2KM



TM-MCGUTPSCSM-20
SC 10/100/ GIGABIT SINGLE MODE 20KM

Fiber Optic System DISTRIBUTION FRAME



TERMINATION BOX PLASTIC
TM-TBFOWM-AD04
4 port, without adaptors and pigtails



DISTRIBUTION FRAME
TM-F12SCD200F
without adaptors and pigtails
12 ports SC, ST, LC, FC



DISTRIBUTION FRAME
TM-F24SCD200F
without adaptors and pigtails
24 ports SC, ST, LC, FC



DISTRIBUTION FRAME
TM-FOD19RA-BK12 19" 12
port without adaptors and pigtails
TM-FOD19RA-BK24 19" 24
port without adaptors and pigtails
TM-FOD19RA-BK48 19" 48
port without adaptors and pigtails



DISTRIBUTION FRAME
TM-DCTFODFIX -24 FIXED TYPE 24 PORT
TM-DCTFODFIX -48 FIXED TYPE 48 PORT
TM-DCTFODROT -48 ROTARY TYPE 48 PORT
TM-DCTFODROT -48 ROTARY TYPE 48 PORT



TERMINATION BOX PLASTIC
TM-FTT200F-XX
8 PORT AND 12 PORT



TERMINATION BOX PLASTIC
TM-FTT5PLC-XX

Fiber Optic Multimode Single Mode outdoor Duct

Multi Mode (MM) or
Single Mode (SM)
Number of fibers
(6, 12, 24, 48, 96)



TOOLS, RACEWAY DUCT

NETWORK TOOLS



TM-TESCOMP-RJ45
Compact Lan Tester RJ45



TM-TESLCD-RJ45
LCD Cable Tester RJ45



TM-CT8P6P4C-RC
Ratchet Crimping Tool RJ45/RJ11/R12



TM-CT8P6P-RC
Ratchet Crimping Tool RJ45/RJ11



TM-STRCUT-UTP
Cable Stripper with Cutter



TM-PTOOL-B110
110 Punch Down Tool w/blade



TM-PTOCO-B110
110 Punch Down Compact Tool w/blade




TM-GENAMP-KIT
Tone Generator and Amplifier Probe kit

RACEWAY DUCT



FLEXI TUBE CONDUIT
TM-FLEXCON-XX



RACEWAY DUCT
TM-RACWA-XX



RACEWAY FLOOR
TM-RACFL-XX



RACEWAY SLOTTED
TM-RACDU-XX



TIES PLASTICS
TM-TIPL-XX



TIES VELCRO
TM-TIEVEL-XX

LAN Network Cable Tester for RJ45 Ethernet & RJ11 ADSL Leads

Quickly and easily checks for cable continuity, miss-wiring.

Open, short, straight-through or cross pinning whatever the cable was installed or NOT.

Details:

Scanning the wire continuity

Finding miss-wiring

Testing crossed pinning or straight through cable

Specifications:

For Telephone [RJ11, RJ12] + Network UTP+STP [RJ45]

8LED wire indicators + 1LED for Grounding

Test Speed Controller

Overall Dimension:

110x62x24mm + 110x36x24mm

Battery: 1x 9V dry battery





Quality and Warranty

WE ARE PROUD OF OUR REPUTATION FOR EXCELLENCE AND INTEGRITY AND WILL CONTINUALLY IMPROVE OUR PRODUCTS AND SERVICES TO EXCEED CUSTOMER EXPECTATIONS.





The essential building block without which,
your system may fail to function properly
or maintain optimum efficiency.

The life expectancy of your cabling infrastructure
is far greater than any hardware you will connect to it.
Planning for a well designed, correctly installed standards
compliant cabling system is the best way of getting
the most out of your investment.

Your cabling infrastructure is the most
important part of your network

www.techmasterproducts.com